



Protocol Number 175151

UK COURIER MANUAL:**Effective Date: 06 March 2026****Randox Courier Service**

Prepared by: Name:	Title:	Signature & Date:
Elizabeth Fagbodun	UK Clinical Trial Manager	
Approved by: Name:	Title:	Signature & Date:
Janis Best-Lane	International Trial Manager	

This document explains how to utilise the Randox courier service. This document will guide you through the steps from start to finish. Please read this manual carefully before using the courier service for the first time, and as a reference thereafter as needed.

ABBREVIATIONS

IL-6	Interleukin 6
sTNFR1	soluble Tumour Necrosis Factor Receptor 1

TABLE OF CONTENTS

1	CONTACT DETAILS	3
2	OVERALL PROCESS	4
3	PATIENT IDENTIFICATION & ELIGBIITY	4
4	BOOKING THE RANDOX COURIER	4
5	COLLECTING THE SAMPLE FROM THE PATIENT	8
5.1	EQUIPMENT PREPARATION	8
5.2	COLLECTING THE SAMPLE FOR THE SUBPHENOTYPE DETERMINATION	8
6	ONBOARDING TO THE NEXUS SYSTEM	9
6.1	NEXUS	9
6.2	LOGGING INTO NEXUS	9
7	NOTIFYING THE LAB OF A SAMPLE	10
8	THE SUBPHENOTYPING RESULT	18
8.1	ENTERING ON THE DATABASE	18
9	ON SITE EQUIPMENT	18
10	TROUBLESHOOTING	19
11	REVISION HISTORY	19

1 CONTACT DETAILS

Nexus Technical Assistance

Contact PANTHER Study Team, telephone: 07526 568215; 07714 051680 or email: pantheruk@imperial.ac.uk

Courier Assistance

Contact Radox Medical Accounts, telephone: 0151 665 0301

2 OVERALL PROCESS

The process of utilizing the Randox courier services involves the following steps:-

- a) Select a suitable patient
- b) Book a courier via the Randox courier service - [RandoxHealthCourierRequestSubmission](#)
- c) Collect the patient sample
- d) Order the test via the Randox 'Nexus' order system, labels are produced.
- e) Label the sample
- f) Wait for the courier.

This manual will cover each of these steps in more detail.

3 PATIENT IDENTIFICATION & ELIGIBILITY

Once a patient has been identified and confirmed as eligible, please obtain consent and request for a Randox courier. Please also begin data entry on the database. Complete all forms in the pre-randomisation event apart from the phenotyping which should be completed when you have received the result.

4 BOOKING THE RANDOX COURIER

A Randox courier can be booked on the following link:

[RandoxHealthCourierRequestSubmission](#)

Please book the courier prior to collecting the blood sample.

Enter all fields on the form.

PLEASE NOTE

1. Any courier requests **must be submitted before 12pm** Mon-Sat to guarantee same day collection. Please note that if you are in the Republic of Ireland, **requests must be submitted 24 hours in advance.**
2. Whilst Radox Health makes every endeavor to fulfill requests submitted after 12pm, we cannot guarantee a collection.
3. If we cannot fulfill your order, we will call you to advise on other arrangements.
4. Booking courier collections is available up to 3 days in advance.
5. If you have any questions, please do not hesitate to contact Radox Health Medical Accounts on 0151-665-0301.

Clinic Name *

Clinic Correspondence Email Address *

Enter a value for this field.

Account Code *

Please Select Collection Area *

Collection Address *

Street Address

Address Line 2

City

State/Region/Province

Postal / Zip Code

Country

Contact Phone Number

If you are happy to be contacted by our courier team directly regarding your pick up, please enter your contact number above

Please note that this does not apply to PANTHER, but please do check the opening hours of your clinic and

The account code will have been provided to you during your onboarding training. It will start with 'PANT'

Once completed you will then need to enter the fields below.

1 Clinic Details 2 Sample Details

Sample Details

What Date Do You Require A Pick Up? *

dd-MMM-yyyy

What Is The Earliest Your Sample(s) Can Be Collected *

08 00
HH MM

No. Of Patient Samples Requiring Collection *

What Time Is/Was Your First Sample Bled? *

HH MM

What Time Does Your Clinic Close? Or What Is The Latest Time Your Sample Can Be Collected? *

HH MM

We will endeavor to collect your sample prior to the clinic closing.

Are These Samples Centrifuged? *

Yes

No


Are There Any Special Instructions?

Please add any short-stability tests you need collecting. Are you leaving samples in a lock box? Please leave any relevant details.


Back Submit

Please always enter the latest time the sample can be collected 30minutes from the time you plan on collecting the sample. For example, if you are collecting the sample now at 12:00, then for the latest time the sample could be collected enter 12:30 as it is best for the sample to be collected as soon as possible to enable swift subphenotyping.

After selecting submit the notification below should appear:



You should also receive an email like the one shown below. In the email there is a hyperlink which if selected would allow you to cancel the courier if necessary.



5 COLLECTING THE SAMPLE FROM THE PATIENT

Personnel must follow 'Universal Precautions' when handling blood products as well as site-specific requirements for handling each type of specimen. Processing of blood specimens should be initiated as soon as possible (~ 30 minutes) following collection with all plasma and serum samples ideally processed within one hour.

5.1 EQUIPMENT PREPARATION

Before the sample is collected, ensure you have the following equipment available and ready:-

- 1 x 4ml Lithium Heparin Tube
- Ice for temporary storage
- 1 x centrifuge
- 1 x Pasteur pipette
- 1 x 1ml cryovial tube
- 1 x Radox labelling paper
- 1 x Plastic wallet

5.2 COLLECTING THE SAMPLE FOR THE SUBPHENOTYPE DETERMINATION

Before the patient is randomised we need to determine the subphenotype, this sample will determine if the patient is hyper or hypo inflammatory.

- Collect 4ml of whole blood from the patient in a lithium heparin tube, invert the tube several times, then place on ice.

4ml Lithium Heparin Tube

- Centrifuge the blood at 2000g for 10 minutes.
- Pipette the plasma into the 1ml cryovial tube.
- The cryovial and lithium heparin tubes should be labelled (once labels are printed from Nexus) and placed into the shipment bag.
- Keep on ice until the courier is ready to collect the sample.



Note - please see Sample Manual for details on the other tiers


6 ONBOARDING TO THE NEXUS SYSTEM

6.1 NEXUS

When your site is ready to be greenlighted, you will receive a training session on Nexus from Randox Health/Sponsor Team. Nexus is the system that will be used to notify the Randox Lab that a sample is ready for subphenotyping.


6.2 LOGGING INTO NEXUS

After your training session you will receive an email asking you to set your password for the system. Selecting the link in this email will direct you to the login page where you will need to enter your email address and **select 'Forgot Password'**. You will then be prompted to create a new password. Once you have created your password you will be able to login into the system and the dashboard, as shown below, should appear.




7 NOTIFYING THE LAB OF A SAMPLE

Log into the Nexus system. On the dashboard select 'Create New Order'



The screenshot shows the Nexus dashboard interface. On the left is a navigation menu with items: Dashboard, Patients, Order Search, Results, Orders, and Logout. The main dashboard area displays a 'Welcome back' message and four summary cards: 'Complete Reports' (0), 'Incomplete Orders' (0), 'Orders Submitted' (1), and 'Pending Results' (0). A green button labeled '+ Create New Order' is located in the bottom right corner of the dashboard and is circled in red.

You will then be taken to the create new order page. A notification may automatically appear here which will detail any system updates, you can select dismiss as shown by the red circle below.



The screenshot shows the 'Create New Order' page. At the top, it says 'On this page you can submit a new test order.' Below this is a progress bar with six stages: Pre Test, Arrangement, Requirements, Sample Collection, Confirmation, and Complete. The 'Pre Test' stage is currently active. The main content area is titled 'Test Order Form - Pre Test' and contains a notification box. The notification has a star icon and reads: 'Live Update: Home Collection Kits Now Available!'. It provides details about home collection and remote venous phlebotomy kits, including a list of benefits and a link for more details. To the right of the notification, there is a section titled 'Simple. Reliable. Ready to use now.' with a hand icon and text explaining the self-collection service and its limitations. A green 'Dismiss' button is located in the bottom right corner of the notification box and is circled in red.

Then select 'enter patient details manually' the search option is for previous patients which does not apply to PANTHER.

Test Order Form - Pre Test

Please use search below to find your patient. If the patient does not exist, enter patient details manually

Search Patient Details

You will then be asked to enter the details as shown below. Enter the following information:-

- **Forename** – PANTHER
- **Surname** – Patient ID
- **Biological Sex** – patient biological sex
- **D.O.B** - always enter 01/01/2001.

**Please note if the participants actual date of birth is 01/01/2001, please enter 12/12/2001*

Forename	Surname	Biological Sex
PANTHER	UK101-001	Female
D.O.B	Confirm Age	
01/01/2001	25	
DD/MM/YYYY		

In the **Health Panels** section select 'PANTHER – ARDS'

▶ Health Panels

My Selection

Panels: 0 Tests: 0

Filter by
Default

Sort by
Default

PANTHER – ARDS

i

🔄

Code: ARDS

Items per page: 12 1 – 1 of 1 << < > >>

Scroll past **all** the health tests to the bottom of the page and select continue

Health Tests

Search for tests... Filter by: Default Sort by: Default

- Active B12 Code: ACTB12
- Adiponectin Code: ADIP
- Hepatitis A Antibodies Code: AHAVIGM
- Hepatitis C Antibodies Code: AHCV2
- Antimitochondrial Antibodies Code: AMA
- Anti Neutrophil Cytoplasmic Antibodies (ANCA) Code: ANCA
- Antinuclear Antibodies Code: ANTI_NUC_AB
- Anti-CCP Antibodies Code: ANTI-CCP
- Amphiregulin Code: AREG
- Smooth Muscle Antibodies Code: ASMO
- Blood Film Code: BLOOD_FILM
- Blood Group Code: BLOOD_GROUP

Items per page: 12 1 - 12 of 176

Cancel **Continue**

A pop box will appear asking for the Reasons for Test Selection (see below). Please scroll down the list and select 'other' in the details section please enter 'PANTHER Trial Subphenotyping' and then select continue.

Reasons for test selection

Please indicate the reason for the selection of these particular tests.

Patient Information

Patient Name	Biological Sex	Patient D.O.B
PANTHER UK101-001	Female	01-Jan-2001 (25 years)

Code	Panel	Stability Time (Hrs)
ARDS	PANTHER - ARDS	4

Reasons for Test Selection

To investigate the cause of the patient's symptoms

Details

Enter details of symptoms

Other

Details

Enter details

PANTHER Trial Subphenotyping

At the patient's request

Wellness screening / health check

On the next page select 'At own clinic' after selecting this your site name should automatically appear in the 'test clinic location' field. Once you have confirmed the details are correct select 'continue' at the bottom of the page.

Test Order Form - Sample Collection Arrangement

Patient Name PANTHER UK101-001 **Biological Sex** Female

Patient D.O.B 01-Jan-2001 (25 years)

How would you like to collect your samples?
The following sample collection options are available for your selected test panels.

Unavailable for postal options. Your current selection is unavailable for remote venous phlebotomy collection and home collection.

At own clinic **Remote Venous Phlebotomy Collection Kit**

Home Collection Kit

Test Clinic Location

PANTHER Charing Cross

On the next page the following boxes will be pre-selected:

- Health Check report – No
- Personal Measurements - No

Please do not amend this and select continue at the bottom of the page.

The screenshot shows a form with the following sections:

- Patient D.O.B:** 01-Jan-2001 (25 years)
- Test Clinic Location:** PANTHER Charing Cross
- Referral Appointment:** No, referral appointment not needed
- Health Panels:** A table with columns for Code, Panel, and Stability Time (Hrs). The row shows ARDS, PANTHER - ARDS, and 4.
- Reasons for Test Selection:** Other
- Details:** PANTHER Trial subphenotyping
- Health Check Report:** Do you want to request a health check report? Yes No
- Personal Measurements:** Does the patient require personal measurements to be captured? Yes No
- Health Metrics:** A list of checkboxes for Body Composition, Diabetes Check, Ethnicity, Pulse, Smoker Status, Blood Pressure, and Hypertension Medication Check. All are checked.
- Navigation:** Back and Continue buttons.

The following pop-up will appear. If the sample has been drawn, please select 'yes, continue'

The pop-up dialog box contains the following information:

- Title:** Are you ready to collect the following samples?
- Text:** If the samples have not been collected yet, you can return later to complete the rest of the order.
- Patient Information:**
 - Patient Name:** PANTHER UK101-001
 - Biological Sex:** Female
 - Patient D.O.B:** 01-Jan-2001 (25 years)
- Health Panels:** A table with columns for Code, Panel, and Stability Time In Hours. The row shows ARDS, PANTHER - ARDS, and 4.
- Tube Types Required:** A table with columns for Tube Name and Qty Required. The row shows Lithium Heparin Vacutainer (4ml Green) and 1.
- Buttons:** Back, No, complete later, and Yes, continue.

You will then need to enter the date and time the sample was collected. Please ensure the following are selected:-

- Is this a fasting sample – No

- **Date and time of fast** – leave blank
- **Tube Types Required** – Lithium Heparin Vacutainer (4ml Green)
- **Qty Collected** – 1
- **Other Relevant Details** – enter ‘Lithium tube has been centrifuged, and plasma has been placed in cryovials, time the blood sample was centrifuged was – HH:MM
- **The healthcare provider has obtained the necessary consent from donor to allow Randox to perform the contract** - yes
- **Consenting to be part of quality control** should always be marked as no.

Once complete, select ‘continue to confirmation’ at the bottom of the page.

The screenshot shows a web form with the following sections and highlighted elements:

- Collection Details:** Includes 'Date of sample collection' and 'Time of sample collection' fields.
- Fasting Details:** Includes 'Is this a fasting sample?' with a 'No' checkbox circled in blue. It also has 'Date of start of fast' and 'Time of start of fast' fields.
- Tube Types Required:** Shows 'Lithium Heparin Vacutainer (4ml Green)' and a 'Qty Collected' dropdown menu with '1' selected and circled in blue.
- Other Relevant Details:** A text area containing the comment: 'Lithium tube has been centrifuged, and plasma has been placed in cryovials, time the blood sample was centrifuged was 12:00'.
- Consent Section:** Includes a statement: 'The healthcare provider has obtained the necessary consent from donor to allow Randox to perform the contract.' with a 'Yes' checkbox circled in blue. Below it is another statement: 'I consent to the use of my test sample in the development of new diagnostic tests and quality control...' with a 'No' checkbox circled in blue.
- Navigation:** At the bottom right, there are 'Cancel' and 'Continue to confirmation' buttons. The 'Continue to confirmation' button is circled in red.

A pop-up will appear asking you if you wish to proceed. If you are happy with the information that has been entered, please select ‘Yes, continue’.

The screenshot shows a modal dialog box with the following content:

- Title:** Please acknowledge
- Text:** This order will now be submitted. No further changes can be made upon submission. Are you sure you wish to proceed?
- Buttons:** A 'Back' button on the left and a green 'Yes, continue' button on the right with a mouse cursor over it.

Your order is now complete and a summary page will appear. Select 'Download Test Order form'

Create New Order

On this page you can submit a new test order.

Pre Test Arrangement Requirements Sample Collection Confirmation Complete

Your Order Summary

PANTCC-00963612
GP

Patient Name PANTHER UK101-001	Biological Sex Female
Patient D.O.B 01-Jan-2001 (25 years)	Test Clinic Location PANTHER Charing Cross

Download Your Test Order Form

Please note any samples provided without a test order form will be rejected.

[Download Test Order Form](#)

Health Panels

Panel

PANTHER - ARDS

[Return to Dashboard](#) [+ Order Again](#)

Open the form which should look like the image below and print the labels using the paper Randox have provided. Label the lithium heparin tube and cryovial and place these with the test order form in a plastic bag provided by Randox.



Randox GP Test Order Form
Page 1 of 1
18-Feb-2026 10:18

Order Details

Order Number: PANTCC-00963612
Order Date: 17-Feb-2026 16:19
Date Of Birth: 01-Jan-2001
Sex: Female
Health Check Panel Report: No
R & D Consent Given: No


 PANTCC-00963612

Sample Collection

Collection Location: PANTHER Charing Cross **Fasting Required:** No
Collection Date/Time: 17-Feb-2026 14:19 **Fasting Start Date/Time:** N/A

Panel/Test Details

RDX_DEFAULT RANDOX_HEALTH_DEFAULT

Tube Details

Lithium Heparin Vacutainer (4ml Green) 1 of 1
 centrifuged at 12:00


 PANTCC-00963612
 DOB: 01-Jan-2001
 SEX: Female


 PANTCC-00963612
 DOB: 01-Jan-2001
 SEX: Female


 PANTCC-00963612
 DOB: 01-Jan-2001
 SEX: Female


 PANTCC-00963612
 DOB: 01-Jan-2001
 SEX: Female


 PANTCC-00963612
 DOB: 01-Jan-2001
 SEX: Female


 PANTCC-00963612
 DOB: 01-Jan-2001
 SEX: Female


 PANTCC-00963612
 DOB: 01-Jan-2001
 SEX: Female


 PANTCC-00963612
 DOB: 01-Jan-2001
 SEX: Female


 PANTCC-00963612
 DOB: 01-Jan-2001
 SEX: Female

Your sample is now ready for collection.

UK Courier Manual v1.0 06 Mar 2026

Page 17 of 19

8 THE SUBPHENOTYPING RESULT

The subphenotyping result will be sent to the email that created the order on Nexus. It will also appear in the results section in the tab on the left-hand side of the Nexus system. Please note it may take up to 6 hours for your site to receive the result.

Concentration values for IL-6 (pg/mL) and sTNFR1 (ng/mL) will be provided. Make a note of these to enter in the eCRF to allow the patient to be randomised.

Example results

Analyte	Concentration	Units
IL-6	253.09	pg/mL
sTNFR1	7.18	ng/mL

8.1 ENTERING ON THE DATABASE

Once the MultiSTAT has provided the required concentration values (IL-6 and sTNFR1) these can now be entered into the CRF and the patient can be randomised.



UA0-003: Phenotyping

Device type?		
<input checked="" type="radio"/> Randox <input type="radio"/> Ella <input type="radio"/> Other		
Date the subphenotyping was completed	2025-08-06	Time the subphenotyping was completed <small>Format (hh:mm) (0-23 hrs (0-59) min)</small> 13:00
The lowest/worst bicarbonate in past 24h		25
sTNFr1 Collected	<input checked="" type="radio"/> Yes <input type="radio"/> No	sTNFr1 Value (ng/ml) 125
IL-6 Collected	<input checked="" type="radio"/> Yes <input type="radio"/> No	IL-6 Value (pg/ml) 96

9 ON SITE EQUIPMENT

All sites will be required to process the initial blood sample for centrifugation to separate plasma.

All participating centres must be equipped with the following minimum equipment:

- Centrifuge with 2000g force capability

10 TROUBLESHOOTING

- Printer is not working – if the hospital printer is not working information can be written on the tubes. Please ensure the following information is included on the tube:-
 - Order ID (provided by Nexus)
 - Patient ID
 - Biological Sex
- Will the courier come to our office?
Yes, as long as you provide instructions such as '10th Floor room 1064' or 'please call this number when you arrive' the courier will meet you and collect from there.
- What is the latest time I can arrange a courier?
This will be confirmed during your test run.

11 REVISION HISTORY

Version	Date	Summary of changes
1.0	06 MAR 2026	First version