



Michael Hetherington
Clinical Trial Monitor

Room 1064
10th Floor, QEQM
St Mary's Hospital
1 Praed Street
London
W2 1NY

Office: +44 (0)20 75945906
Mobile: +44 (0)7710 211566
Email: m.hetherington@imperial.ac.uk
Email: panther@imperial.ac.uk

16th March 2026

IRAS Reference: 1008743

Study Title: Precision medicine Adaptive Network platform Trial in Hypoxemic acute respiratory failure, the PANTHER Trial

Protocol number: 175151

Protocol Version: v2.1

Dear REC and HRA,

PANTHER Substantial Amendment 01 – SA01

We would like to submit a substantial amendment to make the following changes:-

1. Change of PI at Royal Victoria Belfast to Dr Peter McGuigan. Please find their CV and GCP enclosed in the amendment pack.
2. Addition of 8 sites and 8 PI's – GSTT - PI Dr Andrew Retter, Royal Free Hospital – PI Dr Rohit Saha, John Radcliffe Hospital – PI Dr Stuart McKechnie, Royal Stoke Hospital - PI Mohamed Shoaier, Queen's Medical Centre - PI Dr Dan Harvey, Norwich & Norfolk University Hospital - PI Dr Christopher Christou, Southampton General Hospital - PI Dr Ahilanadan Dushianthan, Wythenshawe Hospital - PI Dr Tim Felton. Please find all associated CVs and GCPs enclosed in the amendment pack.
3. Correction of typographical errors on the telephone agreement form, Patient Information Sheet Summary, Patient Information Sheet, ProLR Summary, PerLR Summary, PerLR Video Consent Form and Patient Video Consent Form. Both tracked and clean versions are available:-
 - a) PANTHER-Telephone-Agreement-Form-V2.0 02.12.25 Clean
PANTHER-Telephone-Agreement-Form-V2.0 02.12.25 TC
 - b) PANTHER_PIS_V3.0_17022026 TC
PANTHER_PIS_V3.0_17022026 Clean

- c) PANTHER_PIS Sum_V3.0_17022026 TC
PANTHER_PIS Sum_V3.0_17022026 Clean
- d) PANTHER_PIS ProLR Sum_V3.0_17022026 TC
PANTHER_PIS ProLR Sum_V3.0_17022026 Clean
- e) PANTHER_PerLR Sum_V3.0_17022026 TC
PANTHER_PerLR Sum_V3.0_17022026 Clean
- f) PANTHER PerLR Video Consent Form V2.0 17.02.2026 TC
PANTHER PerLR Video Consent Form V2.0 17.02.2026 Clean
- g) PANTHER Patient Video Consent Form V2.0 17.02.2026 TC
PANTHER Patient Video Consent Form V2.0 17.02.2026 Clean

4. As per PPI feedback and HRA guidance, we have added the option to tick the boxes and statement 'If you do not agree to any of the statements above, please indicate this by placing an 'X' in the relevant box.' Addition of 'OPTIONAL:' to make it clear on the applicable statements. These changes are applicable to the consent forms - Patient Information Sheet, Patient Information Sheet Summary, Patient Information Sheet ProLR Summary, PerLR Summary, PerLR Video Consent Form and Patient Video Consent Form. Both tracked and clean versions are available:-

- h) PANTHER_PIS_V3.0_17022026 TC
PANTHER_PIS_V3.0_17022026 Clean
- i) PANTHER_PIS Sum_V3.0_17022026 TC
PANTHER_PIS Sum_V3.0_17022026 Clean
- j) PANTHER_PIS ProLR Sum_V3.0_17022026 TC
PANTHER_PIS ProLR Sum_V3.0_17022026 Clean
- k) PANTHER_PerLR Sum_V3.0_17022026 TC
PANTHER_PerLR Sum_V3.0_17022026 Clean
- l) PANTHER PerLR Video Consent Form V2.0 17.02.2026 TC
PANTHER PerLR Video Consent Form V2.0 17.02.2026 Clean
- m) PANTHER Patient Video Consent Form V2.0 17.02.2026 TC
PANTHER Patient Video Consent Form V2.0 17.02.2026 Clean



5. Addition of PANTHER Patient Poster V1.0 05.03.2026. to help with recruitment and patient understanding.
6. Addition of PANTHER mNCA_July_2022 2.3 ICL Courier Template_200226, for sites that will use courier service.

Yours sincerely
Michael

Michael Hetherington
PANTHER Trial Monitor
Imperial College London